


STANDARD CATCH-PIT



INDEX



1. Code registry
2. Use
3. Technical specification

1. CODE REGISTRY

Code	Description	Dimensions (mm)	Weight	Colour	Pkg. / Pallet
POZ01-1372E	Catch-Pit Standard	200 x 200	0,495 kg/pc.	Grey	1 pc. / 180 pcs
POZ01-1373E	Catch-Pit Standard	300 x 300	1,390 kg/pc.	Grey	1 pc. / 64 pcs

MATERIAL

Made of PP (polypropylene).



	A	B	C	D	E	F	G	H	I	WEIGHT KG
POZ01-1372E	193	200	188	162	63	80	100			0,495
POZ01-1373E	292	296	286	252		80	100	125	140	1,390

STANDARD CATCH-PIT

2. USE

It is used as an alternative to traditional concrete manholes.



3. TECHNICAL SPECIFICATION

Specification	Description	Unity	Price
Dak.D.POZ01.137xE	Supply and installation of catch-pit monolithic standard. It is available in 2 sizes, from 200 x 200 and 300 x 300 mm, grey colour. Main characteristics: · Light weight for easy transport, positioning and installation, even by a single person; · High resistance, thanks to the reinforcements and ribs on the sides; · Pipes of every sizes can easily fit thanks to the special precutted concentric shape of the holes on the sides. Compatible with relative PP catch-pit cover. Made of PP (polypropylene). It is used as an alternative to traditional concrete manholes.		
Dak.D.POZ01.1372E	Dimension 200 x 200 mm.....	pc.	-
Dak.D.POZ01.1373E	Dimension 300 x 300 mm.....	pc.	-

SMART CATCH-PIT



INDEX

1. Code registry
2. Use
3. Technical specification


1. CODE REGISTRY

Code	Description	Dimensions (mm)	Weight	Colour	Pkg. / Pallet
POZ01-1372I	Smart Catch-Pit	200 x 200	0,39 kg/pc.	Grey	1 pc. / 288 pcs
POZ01-1373I	Smart Catch-Pit	300 x 300	1,10 kg/pc.	Grey	1 pc. / 112 pcs
POZ01-1374I	Smart Catch-Pit	400 x 400	2,40 kg/pc.	Grey	1 pc. / 45 pcs
POZ01-1371I	Smart Catch-Pit	550 x 550	8,30 kg/pc.	Grey	1 pc. / 24 pcs

MATERIAL


Made of PP (polypropylene).

POZ01-1372I




SMART CATCH-PIT


POZ01-1373I



POZ01-1374I



POZ01-1371I



SMART CATCH-PIT

2. USE

Used as an excellent alternative to traditional concrete catch-pits. Particularly suitable for housing electrical devices/cables at the ground.



3. TECHNICAL SPECIFICATION

Specification	Description	Unity	Price
Dak.D.POZ01.137xI	Supply and installation of catch-pit is available in various sizes, from 200 x 200 to 550 x 550 mm, grey colour. Main characteristics: • Light weight for easy transport, positioning and installation, even by a single person; • High resistance thanks to the side rounded reinforcements that avoid breakages at the corners. • Pipes of every sizes can easily fit thanks to the special pre-cutted concentric shape of the side holes. • Space reduced to the half, thanks to the hi-stacking features. Compatible with relative PP catch-pit cover and grating. Made of PP (polypropylene). Used as an excellent alternative to traditional concrete catch-pits. Particularly suitable for housing electrical devices/cables at the ground.		
Dak.D.POZ01.1372I	200 x 200 mm.....	pc.	-
Dak.D.POZ01.1373I	300 x 300 mm.....	pc.	-
Dak.D.POZ01.1374I	400 x 400 mm.....	pc.	-
Dak.D.POZ01.137I	550 x 550 mm.....	pc.	-

GREEN PLUS CATCH-PIT



INDEX



1. Code registry
2. Use
3. Technical specification

1. CODE REGISTRY

Code	Description	Dimensions (mm)	Weight	Colour	Pkg. / Pallet
POZ01-1372V	Green Plus Catch-Pit	200 x 200	0,700 kg/pc.	Green	1 pc. / 150 pcs
POZ01-1372BV	Green Plus Catch-Pit	250 x 250	1,200 kg/pc.	Green	1 pc. / 160 pcs
POZ01-1373V	Green Plus Catch-Pit	300 x 300	1,630 kg/pc.	Green	1 pc. / 48 pcs
POZ01-1374V	Green Plus Catch-Pit	400 x 400	3,000 kg/pc.	Green	1 pc. / 27 pcs

MATERIAL

Made of PP (polypropylene).



	A	B	C	D	E	F	G	H	I	L	M	N	WEIGHT KG
POZ01-1372V	193	200	188	162				63	80	100	125		0,700
POZ01-1372BV	243	249	248	236				63	80	100	125		1,060
POZ01-1373V	292	296	286	252			63	80	100	125	140		1,630
POZ01-1374V	395	398	387	354	63	80	100	125	140	160	200		3,000

GREEN PLUS CATCH-PIT


2. USE

It is used as an alternative to traditional concrete manholes.

3. TECHNICAL SPECIFICATION

Specification	Description	Unity	Price
Dak.D.POZ01.137xV	Supply and installation of monolithic standard catch-pit is available in various sizes, from 200 x 200 to 400 x 400 mm, green colour. Main characteristics: · Light weight for easy transport, positioning and installation, even by a single person; · High resistance, thanks to the reinforcements and ribs on the sides; · Pipes of every sizes can easily fit thanks to the special precutted concentric shape of the holes on the sides. Compatible with relative PP green catch-pit cover. Made of PP (polypropylene). It is used as an alternative to traditional concrete manholes.		
Dak.D.POZ01.1372V	Dimension 200 x 200 mm.....	pc.	-
Dak.D.POZ01.1372BV	Dimension 250 x 250 mm.....	pc.	-
Dak.D.POZ01.1373V	Dimension 300 x 300 mm.....	pc.	-
Dak.D.POZ01.1374V	Dimension 400 x 400 mm.....	pc.	-

CATCH-PIT PLUS AND SEVENTY



INDEX



1. Code registry
2. Use
3. Technical specification

1. CODE REGISTRY

Code	Description	Dimensions (mm)	Weight	Colour	Pkg. / Pallet
POZ01-1372	Catch-Pit Plus	200 x 200	0,700 kg/pc.	Grey	1 pc. / 150 pcs
POZ01-1372S	Catch-Pit Plus - Export version	200 x 200	1,103 kg/pc.	Grey	1 pc. / 240 pcs
POZ01-1372B	Catch-Pit Plus	250 x 250	1,200 kg/pc.	Grey	1 pc. / 160 pcs
POZ01-1373	Catch-Pit Plus	300 x 300	1,630 kg/pc.	Grey	1 pc. / 48 pcs
POZ01-1373S	Catch-Pit Plus - Export version	300 x 300	2,180 kg/pc.	Grey	1 pc. / 96 pcs
POZ01-1374	Catch-Pit Plus	400 x 400	3,000 kg/pc.	Grey	1 pc. / 27 pcs
POZ01-1374S	Catch-Pit Plus - Export version	400 x 400	4,050 kg/pc.	Grey	1 pc. / 36 pcs
POZ01-1371	Catch-Pit Plus	550 x 550	8,300 kg/pc.	Grey	1 pc. / 20 pcs
POZ01-1370	Catch-Pit Seventy	700 x 700	16,200 kg/pc.	Grey	1 pc. / 8 pcs

MATERIAL


Made of PP (polypropylene).



	A	B	C	D	E	F	G	H	I	L	M	N	WEIGHT KG
POZ01-1372	193	200	188	162				63	80	100	125		0,700
POZ01-1372S	193	200	188	162			50	70	90	110	125		1,103
POZ01-1372B	243	249	248	236				63	80	100	125		1,060
POZ01-1373	292	296	286	252			63	80	100	125	140		1,630
POZ01-1373S	292	296	286	252			75	90	110	125	140		2,180
POZ01-1374	395	398	387	354	63	80	100	125	140	160	200		3,000
POZ01-1374S	395	398	387	354	75	90	110	125	140	160	200	250	4,245
POZ01-1371	542	521	532	499					160	200	250	315	8,300

CATCH-PIT PLUS AND SEVENTY

POZ01-1370



ø 200
ø 250
ø 315
ø 400
ø 500

2. USE

It is used as an alternative to traditional concrete manholes.



CATCH-PIT PLUS AND SEVENTY

3. TECHNICAL SPECIFICATION

Specification	Description	Unity	Price
Dak.D.POZ01.137x	Supply and installation of cubic catch-pit is available in various sizes, from 200 x 200 to 700 x 700 mm, grey colour. Main characteristics: · Light weight for easy transport, positioning and installation, even by a single person; · High resistance, thanks to the reinforcements and ribs on the sides; · Pipes of every sizes can easily fit thanks to the special pre-cutted concentric shape of the side holes. Compatible with relative PP catch-pit cover and grating. The export versions of the catch-pit (200 x 200, 300 x 300 and 400 x 400 mm) are characterized by different inlet diameters (90/110 mm). The 250 x 250, 550 x 550 and 700 x 700 versions are universal. Made of PP (polypropylene). It is used as an alternative to traditional concrete manholes.		
Dak.D.POZ01.1372	Dimension 200 x 200 mm.....	pc.	-
Dak.D.POZ01.1372S	Dimension 200 x 200 mm.....	pc.	-
Dak.D.POZ01.1372B	Dimension 250 x 250 mm.....	pc.	-
Dak.D.POZ01.1373	Dimension 300 x 300 mm.....	pc.	-
Dak.D.POZ01.1373S	Dimension 300 x 300 mm.....	pc.	-
Dak.D.POZ01.1374	Dimension 400 x 400 mm.....	pc.	-
Dak.D.POZ01.1374S	Dimension 400 x 400 mm.....	pc.	-
Dak.D.POZ01.1371	Dimension 550 x 550 mm.....	pc.	-
Dak.D.POZ01.1370	Dimension 700 x 700 mm.....	pc.	-