


CANALETTA DAKUA⁺ PLUS - DUO




INDEX

- 1. Registry codes
- 2. Description
- 3. Use
- 4. Technical specification

1. REGISTRY CODES

Code	Description	Measures (mm)	Weight (kg/pz.)	Color	Pkg. / Pallet
POZ93-118600/D	DAKUA ⁺ with Stainless Steel Grating Duo Kit - 600	78 x 600	1,80	Acciaio	1 pc. / 81 pcs.
POZ93-118700/D	DAKUA ⁺ with Stainless Steel Grating Duo Kit - 700	78 x 700	2,10	Acciaio	1 pc. / 81 pcs.
POZ93-118800/D	DAKUA ⁺ with Stainless Steel Grating Duo Kit - 800	78 x 800	2,40	Acciaio	1 pc. / 66 pcs.
POZ93-118900/D	DAKUA ⁺ with Stainless Steel Grating Duo Kit - 900	78 x 900	2,70	Acciaio	1 pc. / 60 pcs.

MATERIAL Stainless steel (Channel and Grating) - ABS (Siphon and outlet body) - Waterproof polyester fabric (Waterproof sheet).



CANALETTA DAKUA⁺ PLUS - DUO

2. DESCRIPTION

The DAKUA⁺ Plus range guarantees the best functionality combined with a modern design. The block body channel is made of AISI 304 stainless steel that, thanks to the absence of bendings, welds and screws, ensures an easy cleaning and high hygiene standards. The flow rate (44 litres/min) is high, even with lowered heights. All gratings are interchangeable and available in polished, brushed steel or glass. The kit is composed of:

- A preassembled grating, ready to install
- A waterproof polyester sheet, shaped on the edge of the channel
- A channel body and a stainless steel grating with glass coating
- ABS siphoned cup with joint and a 360° adjustable and removable gasket

The product, that suits the flat flooring, improves the aesthetics of each surface whilst granting the collection of shower waters.

3. USE

This channel is used for the collection of the shower water. It fits perfectly with the floor embellishing the surface aesthetics.

4. TECHNICAL SPECIFICATION

Item	Description	Unit	Price
Dak.D.POZ93.118x00/D	Supply and installation of a floor-level channel with a modern, minimalist, and functional design. The channel body is made of AISI 304 stainless steel, with a perimeter edge and coating that has no recesses, welds, or screws, ensuring easy cleaning and high hygiene standards. The channel body, passivated by connection to the grounding system, contains a siphon, a removable basket, and a removable 360° adjustable gasket. The water discharge capacity is high (44 l/min) even at low heights. The grate is interchangeable and "double-sided," made of brushed steel. The kit is complete, ready for installation, and also includes a pre-shaped waterproof polyester sheet to be inserted on the perimeter edge of the channel to prevent infiltration under the floor. Channel body and grate entirely in AISI 304 stainless steel, siphon block with gasket and basket in ABS, and pre-shaped waterproof polyester sheet. Floor-mounted, for collecting waste water from showers and/or toilets, it allows for aesthetic uniformity, easy positioning on the floor, and easy calculation of slopes by positioning it against the wall at the junction between the floor and the wall covering.		
Dak.D.POZ93.118600/D	Grating Duo - 600 mm.....	pZ.	-
Dak.D.POZ93.118700/D	Grating Duo - 700 mm.....	pZ.	-
Dak.D.POZ93.118800/D	Grating Duo - 800 mm.....	pZ.	-
Dak.D.POZ93.118900/D	Grating Duo - 900 mm.....	pZ.	-

CHANNEL DAKUA+ WITH STAINLESS STEEL GRATING SQUARE



INDEX


1. Code Registry
2. Use
3. Technical Specification

1. Code Registry

Code	Description	Dimension (mm)	Weight	Colour	Pkg. / Pallet
POZ93-118500/Q	Kit - Channel Dakua+ with Stainless Steel Grating Square - 500	78 x 500	1,60 kg/pcs	Steel	1 pcs / 108 pcs
POZ93-118600/Q	Kit - Channel Dakua+ with Stainless Steel Grating Square - 600	78 x 600	1,80 kg/pcs	Steel	1 pcs / 90 pcs
POZ93-118700/Q	Kit - Channel Dakua+ with Stainless Steel Grating Square - 700	78 x 700	2,10 kg/pcs	Steel	1 pcs / 81 pcs
POZ93-118800/Q	Kit - Channel Dakua+ with Stainless Steel Grating Square - 800	78 x 800	2,40 kg/pcs	Steel	1 pcs / 54 pcs
POZ93-118900/Q	Kit - Channel Dakua+ with Stainless Steel Grating Square - 900	78 x 900	2,70 kg/pcs	Steel	1 pcs / 55 pcs
POZ93-1181000/Q	Kit - Channel Dakua+ with Stainless Steel Grating Square - 1000	78 x 1000	3,00 kg/pcs	Steel	1 pcs / 56 pcs

MATERIAL

Grating and channel body made of AISI 304 stainless steel, trap siphoned element and outlet body made of Abs, waterproof polyester fabric.



CHANNEL DAKUA+ WITH STAINLESS STEEL GRATING SQUARE

2. Use

This channel has to be installed on the floor, for the collection of shower/toilet waters. It guarantee aesthetic uniformity, ease of positioning on the ground. Positioning itself against the wall at the connection point between floor and wall.

3. TECHNICAL SPECIFICATION

Specification	Description	Unity	Price
Dak.D.POZ93.118x00/Q	Supply and installation of drainage Channel with a modern, essential and functional design. The block body channel is made up of AISI 304 stainless with a 90° bended external edge that allow to be installed closed to the wall. Moreover, thanks to the absence of welds and screws, ensures easy cleaning and high hygiene standards. The body channel, contains a siphon, a removable basket and a 360° adjustable and removable gasket. The flow rate (44 litres/min) is high, even with lowered heights. The interchangeable grating has a "squared opening" design on a croner and it is available in polished stainless steel. The kit is ready for installation, with the provided preassembled grating and includes a waterproof pre-cut polyester sheet, which is shaped to the edge of the channel to protect it against infiltration under the floor. Grating and channel body made of AISI 304 stainless steel, trap siphoned element and outlet body made of Abs, waterproof polyester fabric. This channel has to be installed on the floor, for the collection of shower/toilet waters. It guarantee aesthetic uniformity, ease of positioning on the ground. Positioning itself against the wall at the connection point between floor and wall.		
Dak.D.POZ93.118500/Q	Grating Square - 500 mm.....	pcs	-
Dak.D.POZ93.118600/Q	Grating Square - 600 mm.....	pcs	-
Dak.D.POZ93.118700/Q	Grating Square - 700 mm.....	pcs	-
Dak.D.POZ93.118800/Q	Grating Square - 800 mm.....	pcs	-
Dak.D.POZ93.118900/Q	Grating Square - 900 mm.....	pcs	-
Dak.D.POZ93.1181000/Q	Grating Square - 1.000 mm.....	pcs	-

CHANNEL DAKUA+ WITH STAINLESS STEEL GRATING WAVE



INDEX


1. Code Registry
2. Use
3. Technical Specification

1. Code Registry

Code	Description	Dimension (mm)	Weight	Colour	Pkg. / Pallet
POZ93-118500/O	Kit - Channel Dakua+ with Stainless Steel Grating Wave - 500	78 x 500	1,60 kg/pcs	Steel	1 pcs / 108 pcs
POZ93-118600/O	Kit - Channel Dakua+ with Stainless Steel Grating Wave - 600	78 x 600	1,80 kg/pcs	Steel	1 pcs / 90 pcs
POZ93-118700/O	Kit - Channel Dakua+ with Stainless Steel Grating Wave - 700	78 x 700	2,10 kg/pcs	Steel	1 pcs / 81 pcs
POZ93-118800/O	Kit - Channel Dakua+ with Stainless Steel Grating Wave - 800	78 x 800	2,40 kg/pcs	Steel	1 pcs / 54 pcs
POZ93-118900/O	Kit - Channel Dakua+ with Stainless Steel Grating Wave - 900	78 x 900	2,70 kg/pcs	Steel	1 pcs / 55 pcs
POZ93-1181000/O	Kit - Channel Dakua+ with Stainless Steel Grating Wave - 1000	78 x 1000	3,00 kg/pcs	Steel	1 pcs / 56 pcs

MATERIAL

Grating and channel body made of AISI 304 stainless steel, trap siphoned element and outlet body made of Abs, waterproof polyester fabric.



CHANNEL DAKUA+ WITH STAINLESS STEEL GRATING WAVE

2. Use

This channel has to be installed on the floor, for the collection of shower/toilet waters. It guarantee aesthetic uniformity, ease of positioning on the ground. Positioning itself against the wall at the connection point between floor and wall.

3. TECHNICAL SPECIFICATION

Specification	Description	Unity	Price
Dak.D.POZ93.118x00/O	Supply and installation of drainage Channel with a modern, essential and functional design. The block body channel is made up of AISI 304 stainless with a 90° bended external edge that allow to be installed closed to the wall. Moreover, thanks to the absence of welds and screws, ensures easy cleaning and high hygiene standards. The body channel, contains a siphon, a removable basket and a 360° adjustable and removable gasket. The flow rate (44 litres/min) is high, even with lowered heights. The interchangeable grating has a "wave shape opening" design and it is available in polished stainless steel. The kit is ready for installation, with the provided preassembled grating and includes a waterproof pre-cut polyester sheet, which is shaped to the edge of the channel to protect it against infiltration under the floor. Grating and channel body made of AISI 304 stainless steel, trap siphoned element and outlet body made of Abs, waterproof polyester fabric. This channel has to be installed on the floor, for the collection of shower/toilet waters. It guarantee aesthetic uniformity, ease of positioning on the ground. Positioning itself against the wall at the connection point between floor and wall.		
Dak.D.POZ93.118500/O	Grating Wave - 500 mm.....	pcs	-
Dak.D.POZ93.118600/O	Grating Wave - 600 mm.....	pcs	-
Dak.D.POZ93.118700/O	Grating Wave - 700 mm.....	pcs	-
Dak.D.POZ93.118800/O	Grating Wave - 800 mm.....	pcs	-
Dak.D.POZ93.118900/O	Grating Wave - 900 mm.....	pcs	-
Dak.D.POZ93.1181000/O	Grating Wave - 1.000 mm.....	pcs	-

CHANNEL DAKUA+ WITH STAINLESS STEEL GRATING OBLI



INDEX


1. Code Registry
2. Use
3. Technical Specification

1. Code Registry

Code	Description	Dimension (mm)	Weight	Colour	Pkg. / Pallet
POZ93-118500/R	Kit - Channel Dakua+ with Stainless Steel Grating Obli - 500	78 x 500	1,50 kg/pcs	Steel	1 pcs / 108 pcs
POZ93-118600/R	Kit - Channel Dakua+ with Stainless Steel Grating Obli - 600	78 x 600	1,70 kg/pcs	Steel	1 pcs / 90 pcs
POZ93-118700/R	Kit - Channel Dakua+ with Stainless Steel Grating Obli - 700	78 x 700	2,00 kg/pcs	Steel	1 pcs / 81 pcs
POZ93-118800/R	Kit - Channel Dakua+ with Stainless Steel Grating Obli - 800	78 x 800	2,30 kg/pcs	Steel	1 pcs / 54 pcs
POZ93-118900/R	Kit - Channel Dakua+ with Stainless Steel Grating Obli - 900	78 x 900	2,60 kg/pcs	Steel	1 pcs / 55 pcs
POZ93-1181000/R	Kit - Channel Dakua+ with Stainless Steel Grating Obli - 1000	78 x 1000	2,90 kg/pcs	Steel	1 pcs / 56 pcs

MATERIAL

Grating and channel body made of AISI 304 stainless steel, trap siphoned element and outlet body made of Abs, waterproof polyester fabric.



CHANNEL DAKUA+ WITH STAINLESS STEEL GRATING OBLI


2. Use

This channel has to be installed on the floor, for the collection of shower/toilet waters. It guarantee aesthetic uniformity, ease of positioning on the ground. Positioning itself against the wall at the connection point between floor and wall.

3. TECHNICAL SPECIFICATION

Specification	Description	Unity	Price
Dak.D.POZ93.118x00/R	Supply and installation of drainage Channel with a modern, essential and functional design. The block body channel is made up of AISI 304 stainless with a 90° bended external edge that allow to be installed closed to the wall. Moreover, thanks to the absence of welds and screws, ensures easy cleaning and high hygiene standards. The body channel, contains a siphon, a removable basket and a 360° adjustable and removable gasket. The flow rate (44 litres/min) is high, even with lowered heights. The interchangeable grating has a oblique opening design and it is available in polished stainless steel. The kit is ready for installation, with the provided preassembled grating and includes a waterproof pre-cut polyester sheet, which is shaped to the edge of the channel to protect it against infiltration under the floor. Grating and channel body made of AISI 304 stainless steel, trap siphoned element and outlet body made of Abs, waterproof polyester fabric. This channel has to be installed on the floor, for the collection of shower/toilet waters. It guarantee aesthetic uniformity, ease of positioning on the ground. Positioning itself against the wall at the connection point between floor and wall.		
Dak.D.POZ93.118500/R	Grating Obli - 500 mm.....	pcs	-
Dak.D.POZ93.118600/R	Grating Obli - 600 mm.....	pcs	-
Dak.D.POZ93.118700/R	Grating Obli - 700 mm.....	pcs	-
Dak.D.POZ93.118800/R	Grating Obli - 800 mm.....	pcs	-
Dak.D.POZ93.118900/R	Grating Obli - 900 mm.....	pcs	-
Dak.D.POZ93.1181000/R	Grating Obli - 1.000 mm.....	pcs	-

CANALETTE DAKUA⁺ BASE - SQUARE



INDEX

- 1. Registry codes
- 2. Description
- 3. Use
- 4. Technical specification

1. REGISTRY CODES

Code	Description	Measures (mm)	Weight (kg)	Pkg / Pallet
POZ93-12600/Q	DAKUA ⁺ Base with Stainless Steel Grating Square Kit - 600	78 x 600	1,7	1 pc. / 58 pc.
POZ93-12700/Q	DAKUA ⁺ Base with Stainless Steel Grating Square Kit - 700	78 x 700	1,9	1 pc. / 54 pc.
POZ93-12800/Q	DAKUA ⁺ Base with Stainless Steel Grating Square Kit - 800	78 x 800	2,1	1 pc. / 48 pc.
POZ93-12900/Q	DAKUA ⁺ Base with Stainless Steel Grating Square Kit - 900	78 x 900	2,3	1 pc. / 36 pc.


MATERIAL The grating is made of AISI 316 stainless steel; The channel body, siphoned gasket (with hair collection basket) is made of ABS; wa-
terproof sheet is made of polyester;

2. DESCRIPTION


The Dakua⁺ Base Duo is a shower channel with a modern design with perfect functionality, with monobloc of the channel body, siphon and laying support made of in ABS.
The channel body contains a siphon, a removable basket and seal. The water discharge flow rate is 44 l/min. The Duo stainless steel grating is reversible, it can be used with the stainless steel finishing or by turning it can house the flooring inside.
The kit is complete, ready for installation and also includes a pre-cut waterproof polyester sheet, shaped and welded to the edge of the channel against infiltra-
tions under the floor.

3. USE

This channel is used for the collection of the shower water. It fits perfectly with the floor embellishing the surface aesthetics.



CANALETTE DAKUA+ BASE - SQUARE



4. TECHNICAL SPECIFICATION

Item	Description	Unit	Price
Dak.D.POZ93.12xxx/Q	Supply and installation of monoblock ABS channel with stainless steel grid with square grid and waterproof frame. Dimensions 78 x 600/700/800/900 mm. Available in light gray. Monoblock made of ABS, stainless steel grate, and waterproof polyester frame. Used for collecting shower waste water.	pc.	