

CAST IRON GRATING 200



INDEX

1. Code Registry
2. Use
3. Technical Specification


1. CODE REGISTRY

Code	Description	Dimension (mm)	Weight	Colour	Pkg. / Pallet
POZ90-1361GBN	B125 Cast Iron Grating 200	200 x 500	5,60 kg/pc.	Black	250 pcs.
POZ90-1361GCN	C250 Cast Iron Grating 200	200 x 500	5,80 kg/pc.	Black	153 pcs.
POZ90-1361GDN	D400 Cast Iron Grating 200	200 x 500	6,30 kg/pc.	Black	250 pcs.
POZ90-1361GEN	E600 Cast Iron Grating 200	200 x 500	11,00 kg/pc.	Black	250 pcss.
POZ90-1361GFN	F900 Cast Iron Grating 200	200 x 500	12,10 kg/pc.	Black	250 pc.

MATERIAL

Made of spheroidal cast iron.


POZ90-1361GBN



	material	weight	water passage
1361GBN	Ghisa Sferoidale	5,60 kg	381,7 cm ²


CAST IRON GRATING 200

POZ90-1361GCN



	material	weight	water passage
1361GCN	Ghisa Sferoidale	5,80 kg	381,7 cm ²

POZ90-1361GDN



	material	weight	water passage
1361GDN	Ghisa Sferoidale	6,30 kg	381,7 cm ²

CAST IRON GRATING 200

2. USE

It can be used in areas that need high load capacity (heavy traffic and/or heavy vehicles passage, respecting the corresponding loading class).

3. TECHNICAL SPECIFICATION

Specification	Description	Unity	Price
Dak.D.POZ90.1361GxN	Supply and installation to grating made with Anti-heel squared mesh design. Available loading classes: B125 - C250 - D400 - E600 - F900. Made of spheroidal cast iron. It can be used in areas that need high load capacity (heavy traffic and/or heavy vehicles passage, respecting the corresponding loading class).		
Dak.D.POZ90.1361GBN	Class B125.....	pc.	-
Dak.D.POZ90.1361GCN	Class C250.....	pc.	-
Dak.D.POZ90.1361GDN	Class D400.....	pc.	-
Dak.D.POZ90.1361GEN	Class E600.....	pc.	-
Dak.D.POZ90.1361GFN	Class F900.....	pc.	-

CAST IRON ANTI-HEEL GRATING 200



INDEX


- 1. Code registry
- 2. Description
- 3. Use
- 4. Technical specification

1. CODE REGISTRY

Code	Description	Dimension (mm)	Weight	Colour	Pkg. / Pallet
POZ90-1361HB	Anti-heel Cast Iron Grating B125	200 x 500 x 20	4,30 kg/pc.	Black	1 pc. / 260 pcs
POZ90-1361HC	Anti-heel Cast Iron Grating C250	200 x 500 x 20	4,70 kg/pc.	Black	1 pc. / 260 pcs

MATERIAL Made of spheroidal cast iron.

POZ90-1361HB and HC



	materiale	peso (KG)	water passage
1361HB	Spheroidal Cast Iron	4,30	420 cm²
1361HC	Spheroidal Cast Iron	4,90	420 cm²

CAST IRON ANTI-HEEL GRATING 200

2. DESCRIPTION

Grating made of cookie mesh, square and heel-resistant. Available in class B125 - C250

3. USE

Used where major load transitions are needed or wherever its use is deemed worthwhile.

4. TECHNICAL SPECIFICATION

Specification	Description	Unity	Price
Dak.D.POZ90.1361Hx	Supply and installation to grating made with Anti-heel squared mesh design. Available loading classes: B125 - C250. Made of spheroidal cast iron. It can be used in areas that need high load capacity (heavy traffic and/or heavy vehicles passage, respecting the corresponding loading class).		
Dak.D.POZ90.1361HB	Class B125.....	pc.	-
Dak.D.POZ90.1361HC	Class C250.....	pc.	-