

LARGE FORMAT TILES TOOLS

PROFESSIONAL TILING TOOLS

LAMPO CUT - Art. 11101

CUTTING LENGTH	3200 mm
CUTTING THICKNESS WITH PLIERS (art. 11302)	7 mm
CUTTING THICKNESS WITH PLIERS BATTIPAV (art. 11301)	25 mm
LENGTH OF THE SINGLE TRACK	1690 mm
PACKING DIMENSIONS	1800 x 210 x 170 mm
NET WEIGHT	10,5 Kg

MULTI BENCH - Art. 11201

DIMENSIONS	1500 x 1525 x H810 mm
MAXIMUM LOAD CAPACITY	200 Kg
MAXIMUM LOAD CAPACITY WITH EXTENSION (art.11202)	300 Kg
PACKING DIMENSIONS	1760 x 281 x 255 mm
NET WEIGHT	29,3 Kg

AGILE SYSTEM - Art. 11001

MAXIMUM AND MINIMUM BARS LENGTH	3300 mm - 1720 mm
MAXIMUM AND MINIMUM BARS WIDTH	1580 mm - 840 mm
PACKING DIMENSIONS	1795 x 640 x 255 mm
NET WEIGHT	46,0 Kg

AGILE SYSTEM LIGHT - Art. 11002

MAXIMUM AND MINIMUM BARS LENGTH	3300 mm - 1720 mm
PACKING DIMENSIONS	1830 x 320 x 120 mm
NET WEIGHT	12,2 Kg

PROFESSIONAL SUCTION CUP - Art. SP11032


DIAMETER SUCTION CUP	Ø 150 mm
PACKING DIMENSIONS	200 x 140 x 140 mm
NET WEIGHT	1,5 Kg



Z. i. 2 - Via Cavatorta, 6/1 | 48033 Cotignola (Ra) | ITALY
www.battipav.com | sales@battipav.com



AUTHORIZED DEALER:




June 2021

BATTIPAV™

MACCHINE PER EDILIZIA | MACHINES FOR BUILDING


LAMPO cut

Art. 11101




Special profile rail, high resistance structure with rubber inserts:


- no scratches on the surface
- more stability during cut



Supplied with two cutting wheels – Ø 22 mm for very hard ceramic and Ø 15 mm for delicate types. (key set included)



Robust and comfortable to use carriage with 3 nylon sliding pulleys with 3 ball-bearing.



Easy and fast connection



Art. 11301
Breaker tool (included)

System includes:

- 2 rails
- 3 suction cups
- 1 carriage
- 2 cutting wheels
- 1 breaker tool for 25 mm of thickness
- 1 plier for 7 mm of thickness

BAT TIPAV

MULTI bench

Art. 11201



Quick and compact system to open and close the legs.
The encumbrance is reduced at minimum.



Possibility to increase the length with an Extension Stand.
(art. 11202)




Supplied with soft case for an easy transport.



Compatible with Battipav electric saws.


It is possible to use **B-Lock Tile Locking System** (optional)



1525 mm

Art. 11204

Joint for Multi Bench
2 units (optional).



Art. 11203

Single aluminium profile
available also as optional

810 mm


System includes:

- 2 stands with foldable legs
- 8 aluminum profiles with fixing screws (max. 11 profiles)
- 1 soft case


BATTIPAV

AGILE system


Art. 11001




High quality professional suction cups with vacuum indicator. Resistant rubber with special design for perfect adherence on rough surfaces. Complete with support. (Art. 11004)



Carriage for safe and easy movement. Wheels included



Quick system for a complete set up according to the slab dimension: lengthen and widen.



Pair of wheels, one is fixed and one is pivoting, for easy transport of the slabs



Scratch protection of the floor



System includes:


- 2 telescopic bar with 2 handles
- 6 suction cups
- Pair of support legs
- Pair of wheels

BATIPAV

AGILE LIGHT *system* Art. 11002




Mechanism for telescopic bar



The handle is adjustable to lift the slab from the case in an ergonomic way.

UP TO 3300 mm



High quality professional suction cups with vacuum indicator. Resistant rubber with special design for perfect adherence on rough surfaces. Complete with support. (Art. 11004)

System includes:

- 1 telescopic bar with 2 handles
- 3 suction cups

BATTIPAV